Scoil Bhríde Cailíní

Updated Risk Assessments to minimise the risk of being exposed to Covid-19, August 2020

The process involved consultation with all school staff.

Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in Scoil Bhríde Cailíní to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for Scoil Bhríde Cailíní in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A risk is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate	Injury and damage to property	3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

Probability/Likelihood

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2
Rare	Unlikely to occur at all	1

Risk Rating

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying special
	If an incident were to occur, it would be likely	maintenance. Activity should be halted and stopped until the hazard is
	that a permanent, debilitating injury or death	eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce the
	If an incident were to occur, it would be likely	risk. Risk reduction measures should be implemented urgently within a
	that an injury requiring medical treatment would	defined time period and it might be necessary to consider suspending or
	result.	restricting the activity or to apply interim control measures until this has been
		completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether the risks
	If an incident were to occur, there would be	can be lowered. Control measures must be monitored and reviewed as
	some chance that an injury requiring First Aid	required to ensure they remain suitable and sufficient.
	treatment would result	
1-5	Trivial or Negligible	No additional controls are necessary as these risks are considered acceptable.
	If an incident were to occur, there would be little	Activity should be regularly reviewed to ensure there is no change to the risk
	likelihood that an injury would result	rating and that controls are maintained.

^{*}Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Who may be affected?	Identified Risks			Risk Rating after implementation	Action implementation
affected?	identified Risks	Co	ntrols	of controls	Action implementation
Staff	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women	of Covid-19 following a risk assessment of measures necessary to protect the health at the work arrangements within the school. The staff representative(s) will be properly the action plan for the prevention and mistaff will be informed about the meast communication and staff engagement approximation and staff engagement approximation and staff receive necessary ✓ Provide posters, information and elector of Covid-19 among staff and pupils ✓ Promote safe individual practices with ✓ Engage with staff in providing feed effectiveness ✓ Provide regular information about the government agencies (HSE, HSA, etc.) ✓ Emphasise the effectiveness of additional process.	training prior to returning to work stronic message boards to increase awareness hin the school campus back on the preventive measures and their erisk of Covid-19 using official sources, such as and the World Health Organisation opting protective measures especially good	Negligible	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate full 16-25 Emergency risk Halt activity and revie		ntrol
Assessment Date:	August, 2020		Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Hygiene ,	Risk Rating with	Action implementation
anecteur	identined Risks	Controls	controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Wash their hands properly and often. Hands should be washed: After coughing or sneezing Before and after eating or preparing food Before and after using protective gloves Before and after being on public transport When arriving and leaving the school campus After toilet use ✓ Cover their mouth and nose with a tissue or their sleeve when coughing and sneezing. ✓ Put used tissues into a bin and wash their hands ✓ Develop a routine of incresed cleaning and disinfecting of frequently touched objects and surfaces The BoM will supply required cleaning products, will ensure the correct use and storage of disinfectants and will ensure all products are stored safely and securely. No employees are permitted to attend work if they display any of the symptoms below: - 	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calcula (a) Severity of risk (b) Likelihood of e (c) Risk Rating = (a	/injury 1=trivial, 2=slight, 3=mode vent 1=rare, 2=unlikely, 3=likely	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate full 16-25 Emergency risk Halt activity and revie		ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be	Identified Risks	Hygiene	Risk Rating	
affected?		Controls	with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Appropriate social distancing markings are in place ✓ Necessary PPE is available to staff ✓ Standard cleaning and maintenance regimes are put in place and detailed records retained ✓ Toilet facilities are cleaned regularly ✓ All users to have their own water bottles to access drinking water. ✓ Equipment sharing is minimised. Staff are encouraged not to share equipment ✓ There is regular cleaning of frequently touched surfaces and that staff are provided with essential cleaning materials to keep their own work areas clean (for example wipes/disinfection products, paper towels and waste bins/bags) ✓ All school equipment is sanitised – cleaning programmes to be devised to ensure that shared equipment is cleaned and disinfected between use by different people ✓ Covid compliant work areas to be available where social distancing guidelines can be applied 	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calcula (a) Severity of risk (b) Likelihood of e (c) Risk Rating = (a)	yent 1=trivial, 2=slight, 3=mode 1=rare, 2=unlikely, 3=likely	Risk Level Action 1-5 Trivial risk Acceptable 4-very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Social Distancing	Risk Rating	Action implementation
anecteu:	identified Risks	Controls		Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	school, use of welfare facilities and while working in the school ✓ physical spacing (at least 1 metre and where possible 2 metres) for work stations and common spaces, such as entrances/exits, lifts, kithchen areas, canteens, stairs, where congregation or queuing of staff, or students of visitors might occur. ✓ Break times will be staggered and school supervision procedures must be strictly adhered to. ✓ Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds) ✓ Appropriate social distancing arangements will be in place throughout the facility ✓ Meetings of staff will take place online or in hall space allowing for minimum of 1m distancing and where possible 2. ✓ There is currently a strict no handshaking policy in place within the school ✓ All staff, contractors and visitors should avoid direct physical contact with any other	Requires monitoring	Board of Management Principal Staff Visitors
	•Death	 ✓ The close contact work cannot be avoided ✓ Installation of physical barriers e.g. clear plastic sneeze guards where possible ✓ PPE is present in line with the approved risk assessment (full face mask, gloves, etc) and public health advice ✓ An exclusion zone for <2m work will be set up pre task commencement ✓ Prior to donning appropriate PPE, staff will wash/sanitise their hands thoroughly 	Serious	
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of every (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable oderate, 4=major, 5=fatality 6-10 Medium risk Requires monitoring ely, 4=very likely, 5=inevitable 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:		Assessor's Name: BOM, Scoil Bhríde Cailíní	•	

Who may be affected?	Identified Risks	Cleaning	Risk Rating	Action implementation
anecteu:	identified Nisks	Controls	with controls	Action implementation
Staff especially cleaning staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	items handled at work or during breaks. Staff advised to clean personal items that they have bring to work (e.g. mobile phones) and to avoid leaving them down on communal surfaces or they will need to clean the surface after the personal item is removed ✓ Cleaning staff will be trained in the new cleaning arrangements for the school ✓ Sufficient cleaning materials and PPE will be available to allow for increased cleaning	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of evolution (c) Risk Rating = (a) Assessment Date:	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i Assessor's Name: BOM, Scoil Bhríde Cailíní		ntrol

Who may be affected?	Identified Risks	Office and administration areas		Risk Rating	Action implementation
anected	identified Risks	Ca	ontrols	with controls	Action implementation
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	designated workstations and staff	e the maintenance of physical distancing between to work in an office at any particular time shall be to protect health and safety.	Requires	Board of Management Principal Administration staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020		Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Use of PPE	Risk Rating	Action implementation
anecteu:	Tuentineu Kisks	Controls	with controls	Action implementation
Staff	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	PPE needs to be consistently and properly worn when required. In addition, it must be regularly inspected, cleaned, maintained and replaced as necessary. PPE will not be required to be worn within the school facility according to current occupational and public health guidance. Current general guidance from the HSE in relation to the wearing of face coverings, masks and gloves is available at the following Link: https://www2.hse.ie/conditions/coronavirus/face-	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 1-7 Acceptable 1-8 Acceptable 1-9 Acceptable 1-15 Severe risk Requires immediate further acceptable 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Handling books and other resources during Covid-19	Risk Rating with controls	Action implementation
anecteu:	identified Nisks	Controls		Action implementation
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	T	 The Board of Management has to prepare for the return of school books (book rental scheme and other resource materials (including IT equipment) so that these will be available to pupi for the start of the new school year. The following guidelines are recommended for staff whe receiving or assisting in compiling resource packs: Maintain physical distancing (currently a minimum of 1 metre and where possible metres) Observe good hygiene (hand washing and respiratory etiquette, do not touch you eyes, nose, mouth with unwashed hands, etc.) before and after handling books an other materials returned to the school Follow the agreed school protocols if you are displaying symptoms of Covid-19 Any books or other items (resource packs, computers, etc.) being returned to the school should be quarantined for 72 hours. Quarantining means placing these item in sealed boxes that are labelled with the time and date of the start of the 72-hou quarantine period. These boxes should be stored in a separate location away from active work areas within the school Following the expiry of the 72-hour quarantine period the items may be unboxed cleaned and prepared for the next school year Hands should be washed in line with relevant guidance 	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furt 16-25 Emergency risk Halt activity and review		ontrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Using hand tools or equipment	Risk Rating	Action implementation
anecteur	identined risks	Controls	with controls	Action implementation
All staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 Staff must wear the appropriate PPE for the nature of the work that they are undertaking All tools and equipment must be properly sanitised to prevent cross contamination Arrangements should be put in place for one individual to use the same tool, equipment and machinery as far as is reasonably practicable Cleaning material will be available so that all tools can be wiped down with disinfectant between each use All mobile machinery (including lawnmowers) must be thoroughly cleaned and santisied prior to use 		Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	Risk Level Action derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Dealing with a suspected case of Covid-19	Risk Rating	Action implementation
anecteur	identified Risks	Controls		Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	reasonable and practicable, should be accessible by people with disabilities. The possibility of having more than one person displaying signs of Covid-19 needs to be considered so having additional isolation areas available or another contingency plan for dealing with additional cases must be planned. It would be important that the designated area has the ability to isolate the person behind a closed door and away from other workers If a person displays symptoms of Covid-19 the following procedure is to be implemented: ✓ Isolate the person and have a procedure in place to accompany the individual to the designated isolation area via the isolation route, keeping at least 2 metres away from the symptomatic person and also making sure that others maintain a distance of at least 2 metres from the symptomatic person at all times. ✓ Provide a mask for the person presenting with symptoms if one is available. He/she should wear the mask if in a common area with other people or while exiting the premises. ✓ Assess whether the individual who is displaying symptoms can immediately be directed to go home and call their doctor and continue self-isolation at home.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 1-7 Trivial risk Acceptable 1-8 Feduires monitoring 1-9 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Dealing with a suspected case of Covid-19 (continued)	Risk Rating with controls	Action implementation
anecteu:	identified Nisks	Controls		Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 If the person is well enough to go home, arrange for them to be transported home by a family member, as soon as possible and advise them to inform their general practitioner by phone of their symptoms. Public transport of any kind should not be used If they are too unwell to go home or advice is required, contact 999 or 112 and inform them that the sick person is a Covid-19 suspect. Carry out an assessment of the incident which will form part of determining follow-up actions and recovery. Arrange for appropriate cleaning of the isolation area and work areas involved. 	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable				ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Covid-19 cleaning	Risk Rating	Action implementation
allecteur	identified Risks	Controls	with controls	Action implementation
Staff Pupils Visitors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	suspected coronavirus (Covid-19) case. This wil reduce the risk of passing the infection on to other people The area should be kept closed and secure for 72 hours (if possible) for cleaning as the amount of virus living on surfaces will have reduced significantly by 72 hours For cleaning purposes, wear a face mask, disposable or washing up gloves. These should be double-bagged, then stored securely for 72 hours and then put with the regular rubbish after cleaning is finished should be double-bagged, Using a disposable cloth, first clean hard surfaces with warm soapy water. Then disinfect these surfaces with the cleaning products you normally use. Pay particular attention to frequently touched areas and surfaces, such as toilets, banisters on stairwells and door handles If an area has been heavily contaminated, such as with visible bodily fluids, from a person with coronavirus (Covid-19) consider using protection for the eyes, mouth and nose, as well as wearing gloves and apron Wash hands regularly with soap and water for 20 seconds and after removing gloves, aprons and other protection used while cleaning Public areas where a symptomatic individual has passed through and spent minimal	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of evolution (c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19	Risk Rating	Askion implementation
аптестей?	identified Risks	Controls	with controls	Action implementation
Staff Pupils Visitors	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	All cleaning will be undertaken in line with DES and public health guidance. Use disposable cloths or paper roll and disposable mob heads to clean all hard surface floors, chairs, door handles and sanitary fittings, using an approved and recognised detergent a disinfectant in line with the manufacturer's instructions for dilution, aplication and contact time Disinfectants used should be effective against viruses. Additionally: Avoid creating splashes and spray when cleaning. Any cloths and mop heads used must be disposed of and should be put into waste bags as outline below. When items cannot be cleaned using detergents or laundered (upholstered furniture mattresses for example) steam cleaning should be used Any items that have been heavily contaminated with bodyfluids and that cannot be cleaned		Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) Risk Level Calculation 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable				ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19 (continued)	Risk Rating	Action implementation
anected?	identified Risks	Controls	with controls	Action implementation
Staff Pupils Visitors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	Wash items in accordance with the manufacturer's instructions. Use the warmest water setting and dry items completely. Dirty laundry that has been in contact with an unwell person can be washed with other people's items. Do not shake dirty laundry as this minimises the possibility of dispersing the virus through the air Clean and disinfect anything used for transporting laundry with your usual products, in line with the cleaning guidance outlined above Waste Management ✓ Waste should be put in a plastic rubbish bag and tied when full ✓ The plastic bag should then be placed in a second bin bag and tied ✓ It should be put in a suitable and secure place and marked for storage until the individual's test results are known ✓ All waste should be stored safely and kept away from children. You should not put waste in communal waste areas until negative test results are known or the waste has been stored for at least 72 hours ✓ If the individual tests negative, the waste can be put in with the normal waste. If the individual tests positive, then store it for at least 72 hours and put in with the normal waste	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a)	mjury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action derate, 4=major, 5=fatality 2ly, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Travel to and from work	Risk Rating with controls	Action implementation
unceteu.	identified hisks	Controls		Action implementation
Staff	 they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, 	Where a staff member exhibits any signs of Covid-19 or has been exposed to a confirmed case they should not travel to work. Wherever possible, staff should travel to work alone using their own means of transport — staff should not share transport to or from work. If availing of public transport, sit down to minimise contact with frequently touched surfaces, handles, roofstraps, isolation bars, etc. Wear a face mask and carry hand santiser (at least 60% alcohol) and use it regularly throughout your journey.	Requires monitoring	All staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable				ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Dropping off and picking up of pupils	Risk Rating	Action implementation
anecteu:		Controls	with controls	Action implementation
Bus and taxi drivers	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above)	Where pupils travel by public transport the Board of Management will provide a designated drop off/awaiting area (where possible) that supports social distancing measures. It expected that there will be pre-agreed staggered arrival times for school buses. Parents/guardians will be encouraged to wait in the car outside of the school Where SEN pupils are dropped off and picked up by a private bus/taxi, the accompanying adult should remain in the car/bus with the pupil. A designated staff member will come to the car/bus to receive the pupil and will avoid or limit physical contact with the accompanying adult. Subject to available space there is no strict requirement for taxis/buses to arrive one at a time provided that those accompanying the pupil remain in the taxi/bus and do not interact with those accompanying other pupils. A similar process should be followed for pick up.	Requires monitoring	Board of Management Principal Staff Bus and taxi drivers
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	nt 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	Risk Level Action Oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Visitors to school	Risk Rating	Action implementation
arrected:	identified Maks	Controls	with controls	Action implementation
Staff Pupils Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	Visits to the school will be severely restricted and visitors will be asked to: ✓ Make a prior appointment before visiting the school ✓ Remain at home if they have any Covid-19 symptoms ✓ Follow the agreed Covid-19 protocols for the school ✓ Sanitise before entering the premises ✓ Attendance to be recorded on entry to building ✓ Wear PPE if instructed ✓ Adhere to social distancing requirements ✓ Not to loiter − complete their business and leave premises	Requires monitoring	Board of Management Principal
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name: BOM, Scoil Bhríde Cailíní		

Who may be affected?	Identified Risks	Management of deliveries and supplies to school Controls	Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	 Agree a delivery protocol with suppliers All deliveries to be planned with allocated times for collections and deliveries Arrangements to be made for paperless deliveries System to be agreed with suppliers to ensure reconciliations are accurate 	Requires monitoring	Board of Management Principal Staff Delivery personnel
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) X Assessment Date:	njury 1=trivial, 2=slight, 3=mc nt 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 1-7 Trivial risk Acceptable 1-8 Fedures monitoring 1-9 Fedures monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in 15 Assessor's Name: BOM, Scoil Bhríde Cailíní		ntrol